

Quality Improvement Series 125



Warm-Mix Asphalt: Best Practices



This publication is provided by the Members of the National Asphalt Pavement Association (NAPA), who are the nation's leading hot-mix asphalt (HMA) producer/contractor firms and those furnishing equipment and services for the construction of quality HMA pavements.

NAPA Members are dedicated to providing the highest quality HMA paving materials and pavements, and to increasing the knowledge of quality HMA pavement design, construction, maintenance and rehabilitation. NAPA also strongly supports the development and dissemination of research, engineering and educational information that meets America's needs in transportation, recreational, and environmental pavements.



NAPA Building ■ 5100 Forbes Blvd. ■ Lanham, MD 20706-4407
Tel: 301-731-4748 ■ Fax: 301-731-4621
Toll free 1-888-468-6499 ■ www.hotmix.org

This publication is designed to provide information of interest to NAPA Members and is not to be considered a publication of standards or regulations. The views of the authors expressed herein do not necessarily reflect the decision making process of NAPA with regard to advice or opinions on the merits of certain processes, procedures, or equipment.

COPYRIGHT NOTICE

Publications produced and published by the National Asphalt Pavement Association (NAPA) are copyrighted by the Association and may not be republished or copied (including mechanical reproductions) without written consent. To obtain this consent, contact the Association at the address given in this publication.

© 2007 *National Asphalt Pavement Association*

Quality Improvement Series 125

Printed 12/07

Warm-Mix Asphalt: Best Practices

By

Brian D. Prowell, Ph.D., P.E.
Principal Engineer
Advanced Materials Services, LLC

Graham C. Hurley
Project Engineer
Advanced Materials Services, LLC



NAPA Building ■ 5100 Forbes Blvd. ■ Lanham, MD 20706-4407
Tel: 301-731-4748 ■ Fax: 301-731-4621 ■ Toll free 1-888-468-6499
■ www.hotmix.org

Quality Improvement Series 125

Acknowledgements

The authors thank the warm-mix asphalt technology providers who furnished information for this publication. The authors thank the many contractors and agency personnel who shared mix design and project data for this publication. The authors thank John Bartoszek, Bill Garrett, and Malcolm Swanson for their thoughts and assistance in preparing the chapter on best practices for plant production.

Warm-Mix Asphalt: Best Practices

CONTENTS

1	Introduction	5
	Background	5
	A Short History of WMA	6
	Purpose and Methodology	8
2	WMA Technologies Used in the United States	9
	Double Barrel® Green	10
	Evotherm™	12
	Low Energy Asphalt (LEA)	14
	Rediset™ WMX	16
	REVIX™	17
	Sasobit®	18
	Synthetic Zeolite	20
	WAM Foam	22
3	Benefits of WMA	24
	Paving Benefits	24
	Compaction Aid	24
	Cold-weather Paving	24
	Longer Haul Distances	25
	Use of Higher Percentages of RAP	25
	Less Restriction and Potentially More Paving in Non-attainment Areas	26
	Specific Pavement Rehabilitations	26
	Reduced Fuel Usage	27
	Reduced Emissions	27
	Improved Working Conditions	28
4	Best Practices for the Production and Placement of WMA	30
	Reducing Stockpile Moisture Content	30
	Burner Adjustment to Ensure Complete Fuel Combustion	32
	Drying Aggregate and Maintaining Adequate Baghouse Temperatures	33
	Reducing Drum Slope	35
	Removing Flights to Increase Heat Penetration	35
	Increasing Combustion Air	35
	Adding RAP to WMA	36
	Placement Changes	36
5	Research Needs and Summary	37
	Research Needs	37
	Mix Design	37
	Long-Term Performance	37
	New Product Approval	39
	Quantification of Benefits	39
	RAP and WMA	40
	Production Equipment	40
	Summary	40
	References	41
	Bibliography	42